






W	WASHER	Part Number Designation			
		WSL-D127A	- M2 -	ZI	
WSL-D127	WASHER - SPRING LOCK- DIN127	 Type	 Bolt Thread	 Material	
Metric DIN127 Helical Spring Split Lock Washer		WSL-D127A	 Type A	WSL-D127B	 Type B

Unit: mm

Bolt		Type		Inside Diameter (D)	Outside Diameter (D1 Max)	Size length (B)	Washer width (S)	Height (H)	Material	
Size	Thread	Spring Lock - DIN127							Symbol	Stand for
		A	B							
2	M2	WSL-D127A	WSL-D127B	2.1 - 2.4	4.4	0.9 ±0.1	0.5 ±0.1	1.0 - 1.2	SS	304/A2/18-8 Stainless Steel
2,2	M2.2			2.3 - 2.6	4.8	1.0 ±0.1	0.6 ±0.1	1.2 - 1.4		
2,5	M2.5			2.6 - 2.9	5.1	1.0 ±0.1	0.6 ±0.1	1.2 - 1.4	SCR	316/A4 Stainless Steel
3	M3			3.1 - 3.4	6.2	1.3 ±0.1	0.8 ±0.1	1.6 - 1.9		
3,5	M3.5			3.6 - 3.9	6.7	1.3 ±0.1	0.8 ±0.1	1.6 - 1.9	BOS	Black Oxide Steel
4	M4			4.1 - 4.4	7.6	1.5 ±0.1	0.9 ±0.1	1.8 - 2.1		
5	M5			5.1 - 5.4	9.2	1.8 ±0.1	1.2 ±0.1	2.4 - 2.8	ZI	Zinc Plated Steel
6	M6			6.4 - 6.5	11.8	2.5 ±0.15	1.6 ±0.1	3.2 - 3.8		
7	M7			7.1 - 7.5	12.8	2.5 ±0.15	1.6 ±0.1	3.2 - 3.8	VXA010624	
8	M8			8.1 - 8.5	14.8	3.0 ±0.15	2.0 ±0.1	4.0 - 4.7		
10	M10			10.2 - 10.7	18.1	3.5 ±0.2	2.2 ±0.15	4.4 - 5.2		
12	M12			12.2 - 12.7	21.1	4.0 ±0.2	2.5 ±0.15	5.0 - 5.9		
14	M14			14.2 - 14.7	24.1	4.5 ±0.2	3.0 ±0.15	6.0 - 7.1	VXA010624	
16	M16			16.2 - 17.0	27.4	5.0 ±0.2	3.5 ±0.2	7.0 - 8.3		