


TSTR	TAPPING SCREW - THREAD ROLLING
-------------	---------------------------------------

↓
↓
↓
↓

Type
Thread Code
Length
Material

DIN 7500 ME Metric Torx Flat Head Thread Rolling Screws

TSTR3F-6L



Unit: mm

Thread size	Thread code (d)	Type Torx Flat Head Thread Rolling	Head							Material		
			Head Diameter (dk)	Recess Diameter (A)	Height of Head (k)	Diameter of Circumscribing Circle (d)	Major Thread Diameter (D)	Point Diameter (P)	Symbol	Stand for		
M2.5x0.45	M2.5	TSTR3F-6L	4.40 - 4.70	2.4	1.50	2.48 - 2.57	2.39 - 2.48	1.67	SS	304/A2/18-8 Stainless Steel		
M3x0.5	M3		5.20 - 5.50	2.8	1.65	2.98 - 3.07	2.88 - 2.97	2.57				
M4x0.7	M4		8.04 - 8.40	3.9	2.70	3.98 - 4.08	3.84 - 3.94	3.39	ZI	Zinc Plated Steel		
M5x0.8	M5		8.94 - 9.30	4.5	2.70	4.98 - 5.09	4.82 - 4.93	4.30				
M6x1.0	M6		10.87 - 11.30	5.6	3.30	5.97 - 6.10	5.77 - 5.90	5.13				
Length (L)	3	4	5	6	8	10	12	14	16	18		
	20	22	25	30	35	40	45	50	55	60		
	70	80										
Tolerance on Length	3-6mm: ±0.375			over 6-10mm: ±0.45			over 10-18mm: ±0.55			VXA010624		
	over 18-30mm: ±0.65			over 30-50mm: ±0.80			over 50-80mm: ±0.95					